

Eligibility for Cervical Screening Framework

ELIGIBLE POPULATION	Intervals & Notes	GP payment (if criteria / interval observed)
Women - no previous CervicalCheck smear test		
Women aged 25 years +	Future interval set by management recommendation of first smear test result (includes women aged 61 years and over, if never had a CervicalCheck smear test).	Yes
Women – previous CervicalCheck smear test		
Re-call: Women aged 25-44 with No Abnormality Detected (NAD) for last cytology	Routine Re-call (R2): 3-yearly Annual Re-call (R3) NAD 6-month recall (R4)	Yes
Re-call: Women aged 45-60 with No Abnormality Detected (NAD) for last cytology	Routine Re-call (R2): 5-yearly after 2 consecutive NAD smear tests at 3-year interval Annual Re-call (R3) NAD 6-month recall (R4)	Yes
Repeat: Women aged 25-60 with result that is not normal for last cytology	3 or 6 months as per Repeat (R4, R6) recommendation or Referral to Colposcopy (R7).	Yes
Women – special circumstances		
Women of any age <ul style="list-style-type: none"> with recommended post-colposcopy surveillance tests attending DES clinic 	Annual smear tests if NAD, otherwise as per Repeat or Referral to Colposcopy recommendation.	} GP must seek payment for woman until aged 25 years and over
Women of any age <ul style="list-style-type: none"> post hysterectomy 	For women with less than 10 years' routine recall and no CIN at hysterectomy, a vault smear six months after surgery. For women with completely excised CIN at hysterectomy, a vault smear at 6, 12 and 18 months after surgery. There should be no further smear tests if results are negative (NAD) for above cases. If histology unknown follow up as if cervix is in situ.	
Women aged 20 and over: <ul style="list-style-type: none"> with renal failure requiring dialysis on renal dialysis about to undergo renal transplantation 	Smear test required at or shortly after diagnosis. Annual smear tests if NAD. Any cytological abnormality should be treated as high-grade with prompt Referral to Colposcopy. All women about to undergo renal transplantation should have had cervical cytology performed within one year.	
Women aged 20 and over: <ul style="list-style-type: none"> with HIV infection (HIV+ code is CD4I) post organ transplant undergoing pre-organ transplant workup 	} Annual smear tests if NAD, otherwise as per Repeat or Referral to Colposcopy recommendation.	

NOTES	
1. Women under 25 who have never had a smear test or have had a previous negative smear test	Ineligible. No payment.
2. Women aged 61 years or over after 2 successive CervicalCheck NAD results	Ineligible. No payment.
3. Women under 25 with previous (non-CervicalCheck) smear result that is not normal requiring a repeat test	Eligible only for laboratory screening. Not eligible for payment.
4. Women over 25 with previous CervicalCheck NAD smear result and subsequent non-CervicalCheck smear result that is not normal requiring a repeat test	Eligible only for laboratory screening. Not eligible for payment.
5. Women aged 25 to 60 receiving long-term immuno-suppressant medication	No additional cervical screening required. Eligibility as above.