

| HPV Test Result | Cytology Pattern (where applicable) | Code | Management Recommendation | Rationale/ Recommendation |
|-----------------------------|--|------|------------------------------|---|
| Not Detected/ Negative | N/A | R1 | Screening completed | Woman is aged 61 or over at date of test OR post hysterectomy and no requirement for increased surveillance |
| | | R3 | l year recall | if HIV+. Or as per colposcopy discharge if recommended increased surveillance (increased surveillance = more than one annual test required post colposcopy discharge & discharge date is after HPV primary screening implementation date) |
| | | R2a | 3 year recall | If aged between 25 and 29 years (includes women discharged for one test in 12 months post discharge). |
| | | R2b | 5 year recall | If aged 30 - 60 years at test date. |
| Indeterminate HPV result | N/A | R6 | 3 month repeat | First or second indeterminate screening test result |
| | | R7 | Refer to colposcopy | 3 consecutive indeterminate screening test results |
| | | | | Any 3 screening test results that are not normal in previous 10 years & woman has not had colposcopy |
| Test not Processed | N/A | R6 | 3 month repeat | Repeat 3 months |
| Detected/ Positive | P1 (Unsatisfactory) | R6 | 3 month repeat | Repeat 3 months |
| | P2 (No abnormality detected) | R3 | 1 year recall | First HPV positive and cytology NAD, repeat screening test in 1 year |
| | | R7 | Refer to colposcopy | Second consecutive HPV positive and cytology NAD (disregard intervening indeterminate or unsatisfactory results), refer to colposcopy |
| | | | | Any HPV positive test for woman with HIV, refer to colposcopy |
| | | | | Any HPV positive and increased surveillance (increased surveillance = more than one annual test required post colposcopy discharge & discharge date is after HPV primary screening implementation date) |
| | P3a+ (ASCUS or worse) | R7 | Refer to colposcopy | Any HPV positive result with abnormal cytology, refer to colposcopy |

NOTE:

Where cervix is suspicious for invasive disease, refer for urgent colposcopy, do not take screening test.

When current clinical details record Post Coital Bleeding (PCB)/ intermenstrual bleeding (IMB)/ Post-Menopausal Bleeding (PMB), it is recommended to refer for gynaecological assessment.

Where there is a cytology result: If there are endometrial cells present out of cycle for a woman over 40 years, it is recommended to refer for gynaecological assessment.

