

## **Cervical Screening results and recommendations table**



HPV Test Result	Cytology Pattern (where applicable)	Code	Management Recommendation	Rationale/ Recommendation
Not Detected/ Negative	N/A	R1	Screening completed	Woman is aged 61 or over at date of test     Discharged from colposcopy with a recommendation of no further screening     Woman is aged 64 or over at date of test and has been on annual surveillance for reason of renal dialysis / post-transplant or HIV positive.
		R3	1 year recall	<ul> <li>Renal dialysis</li> <li>Pre / post-transplant</li> <li>If HIV+</li> <li>If increased surveillance is indicated as per colposcopy discharge (see note 1 below)</li> </ul>
		R2a	3 year recall	If aged between 25 and 29 years with no requirement for, or completed increased surveillance     First test at completion of increased surveillance post colposcopy - Any age
		R2b	5 year recall	If aged between 30 - 60 years at test date with no requirement for increased surveillance (women must attend for one test at 3 year interval before moving to 5 year recall on completion of increased surveillance post colposcopy).
Detected/ Positive	P1 (Unsatisfactory)	R6	3 month repeat	Repeat 3 months
		R7	Refer to colposcopy	<ul> <li>3 consecutive unsatisfactory screening test results</li> <li>Any 3 screening test results that are not normal in previous 10 years &amp; woman has not had colposcopy.</li> </ul>
	P2 (No abnormality detected)	R3	1 year recall	First HPV positive and cytology NAD, repeat screening test in 1 year (includes women on post colposcopy surveillance)
		R7	Refer to colposcopy	Second consecutive HPV positive and cytology NAD taken in non-colposcopy setting. See note 2 below     If HIV+     Renal dialysis     Pre / post-transplant
	P3a+ (ASCUS or worse)	R7	Refer to colposcopy	Any HPV positive result with abnormal cytology
Indeterminate HPV result	N/A	R6	3 month repeat	First or second indeterminate screening test result
		R7	Refer to colposcopy	3 consecutive indeterminate screening test results
				Any 3 screening test results that are not normal in previous 10 years & woman has not had colposcopy
Test not Processed	N/A	R6	3 month repeat	Repeat 3 months

## NOTES:

- 1. Women discharged from colposcopy pre March 2020 for cytology screening who receive a HPV negative result do not require continued annual surveillance unless there is a history of invasive cervical cancer/CGIN/AIS/SMILE. Women discharged after March 2020 should attend for their recommended number of post colposcopy HPV tests.
- 2. Disregard intervening cytology only, indeterminate, unsatisfactory result.
- 3. Where cervix is suspicious for invasive disease, refer for urgent colposcopy, do not take screening test.
- 4. When current clinical details record Post Coital Bleeding (PCB) / Intermenstrual Bleeding (IMB) / Post-Menopausal Bleeding (PMB) it is recommended to refer for gynaecological assessment.
- 5. Where there is a cytology result: If there are endometrial cells present out of cycle for a woman over 40 years it is recommended to refer for gynaecological assessment.
- 6. Where there is a cytology result and a previous history of treatment for glandular abnormality: Report as UNSAT if TZ cells are not present.

